

ERIC[®]
REDEFINED BEAUTY



300x450mm

Digital Wall Tiles / Glossy

**AN ELEGANT &
EYE-CATCHING**

VOL.4




BECAUSE THE DIFFERENCE IS PATENTLY OBVIOUS

Great attention, sensitivity, and intelligence are necessary to remain faithful to the vocation of "making" ceramic tiles in the best possible way. The awareness of historical and artistic heritage, from which to constantly draw inspiration, an open and the active vision of the evolution of the contemporary world, associated with creativity and originality, are the driving force behind the development of superior quality ceramic surfaces, that truly represent high

quality Italian design culture. A completely new production system, based on in-house research has led to the development of an advanced and three-dimensional Wall Tiles, perfectly harmonious in terms of its patterns and structure, to recreate natural-looking and highly striking surfaces, maintaining all the characteristics of Wall resistance to wear and the elements, easy to clean, and also suitable for spaces exposed to heavy external stress.

Respect for the environment and natural resources, combined with attention to energy consumption, has always been a key goal which the company pursues constantly and with care. The aim is to offer customers a product that not only has high quality technical and aesthetic features but that is also manufactured according to sustainability criteria.





GRACE FOR MESMERIC SPACES


To excel in the world of high quality ceramics means knowing how to continuously create highly technological products and how to enhance them through the utmost attention to aesthetics and detail. Oasis Tiles has always adhered to the highest standards of excellence, Detail realiser combining its history of skilful artisan craftsmanship with cutting edge technology.

This approach is intrinsically linked to a fundamental commitment to always act and operate responsibly. With over 15 years of experience, Oasis Tiles is an international company with a strong Indian soul and an extensive sales network with 5 Manufacturing Units in over 40 countries all over the world.


Beauty, Innovation, Sustainability. Oasis Tiles is a world leader in high quality ceramic surfaces for floor and wall coverings. Its production processes respect the environment and its products are designed for a new way of conceiving architecture and living.



A DETAILS CRAFTING THE MAKE YOUR SPACE INTO ELEGANT ONE




APPLICATION AREAS



The ceramic era inspired the idea of the glossy collection, which combines visual complexity the quality of the "aged" ornamental and the linear severity of the geometric de-cows. Soft beige and gray tones, a panel with a multi-layered floral pattern design and water color stripes of decorative elements everything is created to create a calm yet brightly individual interior with interesting ac-cent parts.

TECHNICAL DETAILS







11431



11432-HL-1



11432

Information

30x45CM
Digital
Wall tiles







11429



11433



11435




11430-HL-1




11434-HL-1



11436-HL-1




11430



11434



11436



11437



11438-HL-1



11438

Information




30x45CM
Digital
Wall tiles







11439




11441



11443



11445




11440-HL-1



11442-HL-1



11444-HL-1




11446-HL-1



11440



11442



11444




11446



11447




11448-HL-1



11448




Information




30x45CM
Digital
Wall tiles







11449



11451



11453



11455



11450-HL-1



11452-HL-1



11454-HL-1




11456-HL-1



11450



11452



11454



11456



11457



11458-HL-1



11458




Information



30x45CM
Digital
Wall tiles

-  SCRATCH RESISTANCE
-  CHEMICAL RESISTANCE
-  STAIN RESISTANCE
-  WATER RESISTANCE
-  HYGIENIC SURFACE
-  ECO FRIENDLY





11459



11461



11467



11460-HL-1



11462-HL-1



11468-HL-1




11460



11462



11468



11471



11472-HL-1



11472



11472-HL-2




Information



30x45CM
Digital
Wall tiles

- SCRATCH RESISTANCE
- CHEMICAL RESISTANCE
- STAIN RESISTANCE
- WATER RESISTANCE
- HYGIENIC SURFACE
- ECO FRIENDLY





11473



11476



11469



11474-HL-1



11476-HL-1



11470-HL-1



11474



11470



11470-HL-2



11477




11478-HL-1



11478




Information



30x45CM
Digital
Wall tiles








11477



11481



11485



11489



11480-HL-1



11482-HL-1



11486-HL-1



11490-HL-1



11480



11482



11486



11490



T1491



T1492-HL-1



T1492

Information

30x45CM
Digital
Wall tiles

-  SCRATCH RESISTANCE
-  CHEMICAL RESISTANCE
-  STAIN RESISTANCE
-  WATER RESISTANCE
-  HYGIENIC SURFACE
-  ECO FRIENDLY







11487




11496



11488-HL-1



11496-HL-1



11488




11488-HL-2



T1498




T1498-HL-1



T1498-HL-2



Information



30x45CM
Digital
Wall tiles







11493



11499



11501



11494-HL-1



11500-HL-1



11502-HL-1



11494




11494-HL-2




11500



11502



11483




11261



11484-HL-1




11262-HL-1




11484



11484-HL-2












11262



11262-HL-2

TECHNICAL DETAILS

	PROPERTIES	INTERNATIONAL STD.	VALUE	TEST METHOD
1.	Deviation in Length	± 0.5%	± 0.3%	EN 98
2.	Deviation in Thickness	± 5.0%	± 4.0%	EN 98
3.	Rectangularity	± 0.5%	± 0.2%	EN 98
4.	Surface Flatness	± 0.5%	± 0.2%	EN 98
5.	Water Absorption	10%	12-14%	EN 98
6.	Moh's Hardness	Min. 3	Min. 3	EN 101
8.	Modules of Rupture	153 Kgs./cm ²	183 Kgs./cm ²	EN 100
9.	Chemical Resistance	Resistance to all expert hydrofluoric acid & it's compounds	Resistance to all expert hydrofluoric acid & it's compounds	EN 102
10.	Thermal Shock Resistance	Required	10 Cycles	EN 104
11.	Crazing Resistance	Required	in Conformity with the norms	EN 105

	DETAILS PRINTING SPECIFICATION	SCREEN PRINTING SPECIFICATION	DIGITAL PRINTING SPECIFICATION
1.	 Naturally Varying Design	No	Yes
2.	 Printing Accuracy	Low	High
3.	 Printing Consistency	Low	High
4.	 Printing Resolution (DPI)	60-80	350-1000
5.	 Print on uneven surface	Not Possible	Easily Possible
6.	 Customization	No	Easily Possible
8.	 Edge to Edge Printing	No	Edge to Edge Printing
10.	 Design Range	Limited	Endless
11.	 Number of Printing Colours	2-4	No Limit

PACKING DETAILS

SIZE	THICKNESS (Approx.)	Pcs / Box	Area / Box	Wt. / Box (Approx.)
300x450mm	7.5mm	6 pcs	0.81 sq. mtr.	9.300kg
300x300mm	7.7mm	8 pcs	0.72 sq. mtr.	10.500kg

Note: Colour Shown are as accurate as the limitations of the printing process will allow. prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.

ERIC[®]
REDEFINED BEAUTY